



HOUSINGS AND SYSTEMS

POU

Atlas Filtri range of POU housings and systems, designed for the installation at Point-Of-Use, under-sink or counter-top, for drinking water purposes.

The range is made of models:

- **DEPURAL®** counter-top patented housings, single and Duplex versions, with standard universal tap connection kit
- **DEPURAL® TOP** counter-top housings, Mono, Duo, Trio versions, with tap diverter-valve connection kit
- **DEPURAL® DP** and **DEPURAL DP CASE** counter-top housings, Mono, Duo, Trio versions, with standard universal tap connection kit
- **BRAVO DP** and **BRAVO DP CASE** under-sink housings, Mono, Duo, Trio versions, with standard quick-fit connection kit or Aquastop quick-fit connection kit, with dedicated tap
- **IN-LINE FILTERS** under-sink filters, with standard quick-fit connection kit or Aquastop quick-fit connection kit, with dedicated tap and exclusive range of dedicated cartridges
- **OASIS DP** under-sink Reverse Osmosis units, with quick-fit connections, dedicated tap, storage tank, pre-filtration patented housings, re-mineralization, booster pump or UV lamp.

POU housings and systems are herewith presented as empty housings.

Atlas Filtri full range of sediment and treatment cartridges makes POU housings and units suitable to every demand for POU water filtration and treatment.



DEPURAL®

MOBILE FILTER HOUSINGS

DEPURAL® is a range of patented mobile filter housings especially designed for counter-top use, complete with standing base, installation kit and universal adaptor for easy connection to the tap.

DEPURAL® housings are available as single housings and as Duplex housings providing dual filtration, all models fit to standard 10" cartridges available from the wide range of Atlas Filtri cartridges SX type.

DEPURAL® housings are manufactured with the finest and most advanced materials under constant focus on innovative processing technologies and ceaseless modernization to ensure the absolute quality of our products.

A range of accessories is available on demand: spanner, wall brackets, installation kit with diverter valve.



SX cartridges with standard flat seals.



DEPURAL® mobile filters easy to be connected to the kitchen tap or to any water distributor.

CERTIFICATIONS



The products are tested and certified under the most stringent procedures worldwide, **in compliance with GOST (Russia)**.

ACCESSORIES INCLUDED



base for Depural®



wall bracket for Depural® (Depural® BS 10)




kit for Depural®

ACCESSORIES ON DEMAND



-NV- spanner CODE RB7403005



-D- wall bracket for Depural® duplex CODE RB7400009



kit for Depural® with diverter valve CODE LB7202002

SYMBOLS LEGEND



For domestic use



DEPURAL®

WORKING CONDITIONS

Max working pressure _____ 3 bar (43 psi)
 Max working temperature _____ 45°C (113°F)
 Min working temperature _____ 4°C (39,2°F)

SPECIFICATIONS

Non-toxic materials, suitable for drinking water.
 Head: polypropylene.
 Bowl: polystyrene.
 O-rings: EPDM.
 Spout: ABS.
 Hose: PVC.




DEPURAL® B10

CLEAR BOWL	
CODE:	RA2030615
SUITABLE CARTRIDGES:	10"


DEPURAL® BS10

CLEAR BOWL	
CODE:	RA2030637
SUITABLE CARTRIDGES:	10"



DEPURAL® B10 DUPLEX

CLEAR BOWL	
CODE:	RA2010615
SUITABLE CARTRIDGES:	10"



VARIANTS AVAILABLE ON MINIMUM QUANTITY:

- Depural® and Depural® duplex with blue bowl